

CHOOSING THE RIGHT TAB, WHY Lenco



GET IT RIGHT FIRST TIME.

FAST, EASY TO INSTALL

BEST PERFORMANCE

LARGEST SELLER IN USA

TROUBLE FREE



ABSOLUTE *marine*

www.absolutemarine.co.nz P. 09 273 9273.


Choosing the right solution



Trim Tab Options



Standard Mount

Standard Mount Trim tab is perfect for boats with a standard or high transom requiring a maximum height of 14" (356mm) to mount the actuator.




Edge Mount

The Edge Mount Trim tab is perfect for boats with a low transom requiring a maximum height of only 11" (356mm) to mount the actuator.




Reverse Mount

The Reverse Mount Trim Tab has a short ram, perfect where space is limited or swim platform is in place.



Limited Space Mount

Engineered to fit behind ladders. This unique design gives you all the benefits of a standard tab in an ultra compact design.



Switch Kit Options

LED Indicator Switch Kit

LED

Lenco's latest switch technology featuring totally waterproof key pad and solid state control box. LED indicator displays the exact position of your trim tabs. LED Type.

5683



- Built-in auto retract.
- 12/24 volt.
- LED indicator displays the exact position of your trim tabs, Auto brightness adjusting.
- Self check feature.
- Waterproof key pad and solid state control box with waterproof plug and play Deutsch connectors, backlit.
- 36" power lead for control box.

Standard Switch Kit

AR

Lenco's latest switch technology featuring totally waterproof key pad and solid state control box. AR Type

5635RP



- Built-in auto retract.
- 12 volt.
- Waterproof key pad and solid state control box with waterproof plug and play Deutsch connectors.
- 36" power lead for control box.

Double Rocker Switch Kit

STD

Available for Lenco's Standard mount and Edge mount trim tabs. Does not have the auto retract feature. STD Type.

5635



- 122 carling double rocker switch.
- 12/24 volt.
- Plug and play Deutsch connectors.
- 36" power lead and mounting hardware.
- Installation hardware included.
- Does not require control box.



LENCO Trim Tabs

Trim Tab Kit - Complete Standard Mount & Rocker Switch

Part No.	Description	Switch Type	Volts (V)	Dimensions L x W (mm)	Hinge Height (mm)	Min Transom Height (mm)	Boat Length (Metres)	PRICE
5602	9" x 12" Standard Mount Trim Tab & Double Rocker Switch Kit	STD	12	228 x 305	51	356	4.9 - 7.6	\$1289.00

Trim Tab Kit:

- 2 x Standard Mount Plates, 12 Gauge (2.7mm) - 304G stainless steel with a 5/8" flared trailing edge and 1/8" diameter hinge pin.
- 2 x 12 volt 101 actuators with 1.8m cable and Deutsch connectors.
- 2 x actuator extension wiring harness (6m) with Deutsch connectors.
- 1 x set of stainless steel fasteners.
- 2 x upper mounting bracket with gland seal.
- 2 x lower mounting bracket.

Switch Kit:

- Double Rocker Switch 'STD' Type
- Waterproof plug & play Deutsch connections.
- No auto retract feature.
- Does not require control box.
- Installation screws included.

All Kits Include:

- Lenco owner's installation manual.
- 3 Year Warranty.

NOTE: 24 Volt Option Available.



BUY FROM
\$1289.80

Trim Tab Kit - Complete Standard Mount & Standard Switch

Part No.	Description	Switch Type	Volts (V)	Dimensions L x W (mm)	Hinge Height (mm)	Min Transom Height (mm)	Boat Length (Metres)	PRICE
5603	9" x 9" Standard Mount Trim Tab & Standard Tactile Switch Kit	AR	12	228 x 228	51	356	4.3 - 5.5	\$1359.00
5604	9" x 12" Standard Mount Trim Tab & Standard Tactile Switch Kit	AR	12	228 x 305	51	356	4.9 - 7.6	\$1489.00

Trim Tab Kit:

- 2 x Standard Mount Plates, 12 Gauge (2.7mm) - 304G stainless steel with a 5/8" flared trailing edge and 1/8" diameter hinge pin.
- 2 x 12 volt 101 actuators with 1.8m cable and Deutsch connectors.
- 2 x actuator extension wiring harness (6m) with Deutsch connectors.
- 1 x set of stainless steel fasteners.
- 2 x upper mounting bracket with gland seal.
- 2 x lower mounting bracket.

Switch Kit:

- Tactile Switch 'AR' Type
- Waterproof plug & play Deutsch connections.
- Built-in auto retract feature.
- Installation screws included.

All Kits Include:

- Lenco owner's installation manual.
- 3 Year Warranty.

NOTE: 12 Volt only.



BUY FROM
\$1359.00

LENCO Trim Tabs



Trim Tab Kit - Complete Standard Mount & LED Switch

Part No.	Description	Switch Type	Volts (V)	Dimensions L x W (mm)	Hinge Height (mm)	Min Transom Height (mm)	Boat Length (Metres)	PRICE
5603LED	9" x 9" Standard Mount Trim Tab & LED Indicator Switch Kit	LED	12	228 x 228	51	356	4.3 - 5.5	\$1759.00
5643	9" x 12" Standard Mount Trim Tab & LED Indicator Switch Kit	LED	12	228 x 305	51	356	4.9 - 7.6	\$1799.00
5610LED	12" X 12" Standard Mount Trim Tab & LED Indicator Switch Kit	LED	12	305 x 305	51	356	5.2 - 9.2	\$1899.00



Trim Tab Kit:

- 2 x Standard Mount Plates, 12 Gauge (2.7mm) - 304G stainless steel with a 5/8" flared trailing edge and 1/8" diameter hinge pin.
- 2 x 12 volt 101 actuators with 1.8m cable and Deutsch connectors.
- 2 x actuator extension wiring harness (6m) with Deutsch connectors.
- 1 x set of stainless steel fasteners.
- 2 x upper mounting bracket with gland seal.
- 2 x lower mounting bracket.

Switch Kit:

- LED Indicator Tactile Switch, backlit, auto brightness adjust. 'LED' Type
- Waterproof plug & play Deutsch connections.
- Built-in auto retract feature and self checking feature.
- Installation screws included.

All Kits Include:

- Lenco owner's installation manual.
- 3 Year Warranty.

NOTE: 24 Volt Option Available.

BUY FROM

\$1759.00



Trim Tab Kit - Complete Edge Mount & Standard Switch

Part No.	Description	Switch Type	Volts (V)	Dimensions L x W (mm)	Hinge Height (mm)	Min Transom Height (mm)	Boat Length (Metres)	PRICE
5615	12" x 9" Edge Mount Trim Tab & Standard Tactile Switch Kit	AR	12	305 x 228	51	279	4.9 - 7.6	\$1499.00
5671E	12" X 12" Edge Mount Trim Tab & Standard Tactile Switch Kit	AR	12	305 x 305	51	279	5.2 - 9.2	\$1599.00



- Designed for boat applications where a lower actuator mounting height is desirable requiring less transom height than Lenco standard mount trim tabs.
- All edges are turned up for added strength and style.
- All mounting brackets impact corrosion proof.

Trim Tab Kit:

- 2 x Edge Mount Plates, 12 Gauge (2.7mm) - 304G stainless steel with 1" turned up edges and a 5 degree taper on both sides to the trailing edge and 1/8" diameter hinge pin.
- 2 x 12 volt 101 actuators with 1.8m cable and Deutsch connectors.
- 2 x actuator extension wiring harness (6m) with Deutsch connectors.
- 1 x set of stainless steel fasteners.
- 2 x upper mounting bracket with gland seal.
- 2 x lower mounting bracket.

Switch Kit:

- Tactile Switch 'AR' Type.
- Waterproof plug & play Deutsch connections.
- Built-in auto retract feature.
- Installation screws included.

All Kits Include:

- Lenco owner's installation manual.
- 3 Year Warranty.

NOTE: 12 Volt only.

BUY FROM

\$1499.00





LENCO Trim Tabs

Trim Tab Kit - Complete Edge Mount & LED Switch

Part No.	Description	Switch Type	Volts (V)	Dimensions L x W (mm)	Hinge Height (mm)	Min Transom Height (mm)	Boat Length (Metres)	PRICE
5615LED	12" x 9" Edge Mount Trim Tab & LED Indicator Switch Kit	LED	12	305 x 228	51	279	4.9 - 7.6	\$1899.00
5671LED	12" X 12" Edge Mount Trim Tab & LED Indicator Switch Kit	LED	12	305 x 305	51	279	5.2 - 9.2	\$1999.00

- Designed for boat applications where a lower actuator mounting height is desirable requiring less transom height than Lenco standard mount trim tabs.
- All edges are turned up for added strength and style.
- All mounting brackets impact corrosion proof.

Trim Tab Kit:

- 2 x Edge Mount Plates, 12 Gauge (2.7mm) - 304G stainless steel with 1" turned up edges and a 5 degree taper on both sides to the trailing edge and 1/8" diameter hinge pin.
- 2 x 12 volt 101 actuators with 1.8m cable and Deutsch connectors.
- 2 x actuator extension wiring harness (6m) with Deutsch connectors.
- 1 x set of stainless steel fasteners.
- 2 x upper mounting bracket with gland seal.
- 2 x lower mounting bracket.

Switch Kit:

- LED Indicator Tactile Switch, backlit, auto brightness adjust. LED Type.
- Waterproof plug & play Deutsch connections.
- Built-in auto retract feature and self checking feature.
- Installation screws included.

All Kits Include:

- Lenco owner's installation manual.
- 3 Year Warranty.

NOTE: 24 Volt Option Available.




BUY FROM
\$1899.00

Trim Tab Kit - Reverse Mount

Part No.	Description	Switch Type	L x W (mm)	Hinge Height (mm)	Min Transom Height (mm)	Boat Length (M)	PRICE
5645	9" x 12" Reverse Mount Trim Tab Kit	AR	229 x 305	54	300	5 - 8	\$1489.00
5646	9" x 12" Reverse Mount Trim Tab Kit	LED	229 x 305	54	300	5 - 8	\$1799.00

- The reverse mount trim tab has a short ram, perfect where space is limited on the transoms or reverse if there is a swim platform.
- The actuator can be installed on the underside of a swim platform and does not impede tab movement (as seen in Diagram A).



NOTE: 24 Volt Option Available.

Kit Includes switch kit

- 2 x 12-gauge stainless steel trim tab blades 9"L x 12"W with welded on lower mount bracket 5/16 hole.
- 2 x 101XDS actuators with 6' lead and Deutsch plugs.
- 2 x 20' actuator extension wiring harnesses.
- 2 x Upper mounting bracket with gland seal.
- All necessary stainless steel mounting hardware.

All Kits Include:

- Lenco owner's installation manual.
- 3 Year Warranty




Diagram A - Reverse Mount



BUY FROM
\$1489.00

LENCO Trim Tabs



Trim Tab Kit - Limited Space

Part No.	Description	Switch	L x W (mm)	Hinge Height (cm)	Min Transom Height (mm)	Boat Length (Metres)	PRICE
5620OEM	4" x 12" Limited Space Trim Tab Kit	STD	101 x 305	5.1	330	4.3 - 7.6	\$1289.00
5620	4" x 12" Limited Space Trim Tab Kit	AR	101 x 305	5.1	330	4.3 - 7.6	\$1499.00
5620LED	4" x 12" Limited Space Trim Tab Kit	LED	101 x 305	5.1	330	4.3 - 7.6	\$1769.00



Heavy-duty mounting brackets

- Designed for boats with swim platforms and/or ladders. They can be fitted to transoms that have a limited mounting area.
- Plates are Electro-Polished 12 gauge - 304G Stainless Steel.
- Equipped with 101XDS actuators for precise control.
- Fully submersible with all Plug and Play Deutsch connections.
- 3 Year Warranty.

Kit Includes Switch Kit:

- 2 x stainless steel electropolished, limited space plates with welded on lower mount bracket 5/16 hole.
- 2 x 12 volt XDS actuators with 1.8m cable and Deutsch connectors.
- 2 x actuator extension wiring harness (6m) Deutsch connectors.
- 1 x set of stainless steel fasteners.
- 2 x upper mounting bracket with gland seal.

24 Volt Option Available.




Installed behind ladder



Trim Tab Kit - Tapered Plate

Part No.	Description	Switch	L x W (mm)	Hinge Height (cm)	Min Transom Height (mm)	Boat Length (Metres)	PRICE
5609-12PAR	16" x 12" Tapered Trim Tab Kit	AR	406 x 305	51	279	5.8 - 10.4	\$1990.00
5609-12PLED	16" x 12" Tapered Trim Tab Kit	LED	406 x 305	51	279	5.8 - 10.4	\$2550.00




- The upgraded trim blades with heavy-duty hinge pin makes these Performance Trim Tab Kits a cut above the base level Lenco Standard Mount Kits.
- Plates are Electro-Polished 12 gauge - 304G Stainless Steel with 1" turned up edges with an 85 degree inside taper and 1/4" diameter hinge pin.
- Equipped with a fast response electric actuators for precise control.
- Fully submersible with all Plug and Play Deutsch connections.
- The actuators mount at the trailing edge of the blades.
- 3 Year Warranty.

Kit Includes Switch Kit:

- 2 x 12-gauge stainless steel Electro-Polished trim tab blades.
- 2 x 101 actuators with 6' lead and Deutsch plugs.
- 2 x 20' actuator extension wiring harnesses.
- 1 x Upper mounting bracket with gland seal.
- 2 x Lower mounting bracket.
- Standard Actuators with 5/16" Stainless Steel bolts.

24 Volt Option Available.





LENCO Trim Tabs

Trim Tab Kit - Super Strong Dual Actuator Trim Tab

Part No.	Description	Volts	L x W (mm)	Boat Length (Metres)	Recommended Switch Kit	PRICE
5618	16" X 24" Dual Actuator Trim Tab Kit	12	406 x 610	10 - 15	LED	\$3465.00
5619	16" X 30" Dual Actuator Trim Tab Kit	12	406 x 762	12 - 18	LED	\$3795.00

- Super Strong design is for sport fishing, large cruising and commercial vessels. This series has a completely flat blade design which reduces spray giving you a clean, dry ride. Boat lengths 35' (10.6m) to 60' (18.3m).

5676 Switch sold separately.


Kit Includes:

- 2 x Super Strong Standard Mount Plates, 7 Gauge (4.6mm thick) laser cut 304G stainless steel with welded-on lower mount bracket - 3/8" (9.5 mm) diameter hinge pin.
- 4 x 101XD Extreme Duty Actuators with 1.8m cable and Deutsch connectors.
- 1 x set of stainless steel fasteners.
- 4 x upper mounting bracket with gland seal.
- 2 x zinc anodes.
- Lenco owner's installation manual.
- 3 Year Warranty.

NOTE: Switches sold separately, use 5676 switch kit.

Actuator extension harnesses not in kits, must be purchased separately (4 required).

24 Volt Option Available.



4.6mm heavy-duty plate



Heavy-duty stainless steel mounting brackets



Anode installed in the centre



BUY FROM
\$3465.00

LENCO Trim Tabs



Trim Tab - 7 Degree Mounting Wedge



BUY FROM

\$33.00_{ea}

Part No.	Description	PRICE
5626	7 Degree Mounting Wedge	\$33.00

- Suits lower mounting bracket and pre 2007 upper mounting bracket.
- Only compatible with 5636 and 5637 mounting brackets
- Suitable for curved transoms.
- Use in multiples of 2, as packing spacer.

Lenco High Performance Actuator Technology

Our Improved Actuators

- 1 Stronger top cap and mounting clevis design.
- 2 New and improved pressure - tight torx screws.
- 3 Improved O-ring design for more consistent seal.
- 4 Thicker and stronger motor housing wall.
- 5 Molded-in brass thrust bearing design.
- 6 Integrated wiper seal at actuator base.
- 7 Over-molded cable providing a stronger tighter seal.
- 8 Upper mounting bracket with gland seal.

